



WELLCOME ANALYTICAL & RESEARCH LABORATORY LLP



4132, 3rd Floor, 306/07, Near PNB Bank, Naya Bazar, Delhi-110006

011-43560326, +91-9891326885, 9891328885

welcomefoodlab@gmail.com

www.welcomefoodlaboratoryblogspot.com

AN ISO 9001:2015 CERTIFIED LAB

TEST REPORT

TEST REPORT

ISSUED TO: - AAP KA BAZAR	SAMPLE RECEIVED DATE	21/05/2026
	TEST COMPLETED DATE	21/05/2026
	BATCH NO	21_05_2026
	YOUR REFERENCE	EMAIL ****
ADDRESS: - DELHI	CONTACTS NO	*****
SAMPLE PARTICULARS: -		
*NATURE OF THE SAMPLE & NO OF SAMPLE	DESI GHEE	
*BRAND NAME IF ANY	NONE	
* BATCH NO. & MANUFACTURING DATE	NONE	
*SAMPLE QUANTITY & PACKAGING	200 g	
*METHOD OF SAMPLING	SAMPLE IS PROVIDED BY COMPANY PERSON	

S. No	TEST PARAMETERS	TEST RESULT	REQUIREMENT as per FSSR-2011 R. No 2.1.8	UNIT	TEST METHOD
1	Moisture	0.14	0.50 Max	% by wt.	FSSAI 01.096:2022 (Dairy and Dairy Products)
2	Fat	99.86	99.5 Min	% by wt	FSSAI 01.096:2022 (Dairy and Dairy Products)
3	Reichert-Meissl (RM)	29.15	24.0 Min	-	FSSAI 01.090:2022 (Dairy and Dairy Products)
4	B.R Reading at 40°C	41.50	40.00 – 44.00	-	FSSAI 01.098:2022 (Dairy and Dairy Products)
5	Polenske value	1.70	0.5 – 2.0	-	FSSAI 01.098:2022 (Dairy and Dairy Products)
6	Free fatty acid (as oleic acid)	0.33	2.0 Max	% by wt.	FSSAI 01.099:2022 (Dairy and Dairy Products)
7	Test for Baudouin (BT)	Negative	Negative	-	FSSAI 01.091:2022 (Dairy and Dairy Products)
8	Test for mineral oil	Negative	Negative	-	FSSAI 01.092:2022 (Dairy and Dairy Products)
9	Washing 1+2 Reichert-Meissl (RM) Value	26.63	-	-	FSSAI 01.090:2022 (Dairy and Dairy Products)
10	Washing 1+2 B.R Reading at 40°C	42.20	-	-	FSSAI 01.098:2022 (Dairy and Dairy Products)

Note- Reichert-Meissl (RM) and wash deference Reichert-Meissl (RM) 2.52

Remark: - The sample conform as per FSSR 2011 R. No 2.1.8. With respect to above test only.

****End of Report****

CHECK BY

Page 1of 1

AUTHORIZED SIGN

WELLCOME ANALYTICAL & RESEARCH LABORATORY



NOTE: The laboratory accepts the responsible for content of report. The result contained in this report related only to the sample tested. This report is indented only for your guidance and not for legal purpose or for advertisement. This report shall not be reproduced except in full with out the written approval of this organization. Sample will be destroyed in 15 days from the date of issue of test certified unless otherwise specified. Any complaints about this report be communicate in writing.